



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/682,054	10/09/2003	Kim Hwee Tan	APS03-002	8182

7590 06/13/2007
STEPHEN B. ACKERMAN
28 DAVIS AVENUE
POUGHKEEPSIE, NY 12603

EXAMINER

PHAM, THANH V

ART UNIT	PAPER NUMBER
----------	--------------

2823

MAIL DATE	DELIVERY MODE
-----------	---------------

06/13/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

TH

Office Action Summary

Application No.

10/682,054

Applicant(s)

TAN ET AL.

Examiner

Thanh V. Pham

Art Unit

2823

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02 May 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-13, 16, 19-35, 38, 41-58, 61 and 64-71 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-13, 16, 19-35, 38, 41-58, 61 and 64-71 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|--|
| <p>1) <input type="checkbox"/> Notice of References Cited (PTO-892)</p> <p>2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)</p> <p>3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____</p> | <p>4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____</p> <p>5) <input type="checkbox"/> Notice of Informal Patent Application</p> <p>6) <input type="checkbox"/> Other: _____</p> |
|--|--|

DETAILED ACTION

Response to Amendment

Claim Objections

1. Claim 1 is objected to because of the following informalities: "in a pattern" on line 4 should be --in patterns-- to match with "two or more" on line 3; and "are" on line 5 should be --is-- to match with "at least one" on line 4.

In the same manner, claim 46 is objected to as "in a pattern" on line 4 should be -
-in patterns-- to match with "two or more" on line 3.

Appropriate correction is required.

Claim Rejections - 35 USC § 102

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1-2, 9, 11-13, 19 and 24, 31, 33-35, 41 and 46-47, 54, 56-58, 64 and 69-71 are rejected under 35 U.S.C. 102(b) as being anticipated by Kondoh et al. US 5,448,114 (provided by applicant).

Re claims 1 and 46, the Kondoh et al. reference discloses a die comprising:

(providing) a substrate 1; and

(forming) two or more different type of pillar structures 3 and 4 formed over the substrate 1 in patterns (figs. 1-4, e.g.);

at least one of the two or more different types of pillar structures is bi-layer having a lower *high-melting-point non-solder* portion 53 and an upper *solder-material* portion 54 over and in substantial contact with only an upper surface of the lower *high-*

Art Unit: 2823

melting-point non-solder portion 53 (fig. 11); wherein the lower *high-melting-point non-solder* portion 53 does not melt during a reflow process to form the two or more different types of pillar structures.

Re claims 2, 24 and 47, wherein at least one of the two or more different types of pillar structures has a rectangular shape, a round shape, a ring shape, a wall-like shape or a spline shape (figs. 2 or 7, *a side of element 3* or the square shape of element 4 is considered as a special rectangular with the two consecutive equal sides; or round shape, col. 10, lines 57-58, e.g.).

Re claims 9, 31 and 54, the pillar structure pattern includes 2 rows and 2 columns, fig. 2.

Re claims 11-13, 33-35 and 56-58, the one pillar structure 3 is wall-shaped pillar structure forming a square, fig. 2.

Re claims 19, 41 and 64, a lower copper layer 53 and an overlying reflowed solder layer 54, the solder layer being comprised of 60 % tin and 40 % lead (col. 14, lines 16-33).

Re claims 69-71, the lower lead-free portion 53 is comprised of copper (col. 14, lines 26 and 52).

Claim Rejections - 35 USC § 103

3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

4. Claims 3-8, 10, 16, 20-23 and 25-30, 32, 38, 42-45 and 48-53, 55, 61, 65-68 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kondoh et al. as applied to

Art Unit: 2823

claims 1-2, 9, 11-13, 19 and 24, 31, 33-35, 41 and 46-47, 54, 56-58, 64 and 69-71 above, and further in view of Lee et al. US 6,642,136 B1 and the following reasons.

The Kondoh et al. reference discloses substantially all of the invention. Although it discloses "the bump 4 is approximately 100 micron square and 50 micron high, and the wall member 3 is approximately 300 micron wide and 50 micron high" (col. 9, lines 40-42), "the size of the chip is approximately 6 mm square and the number of pads is approximately 40. Therefore, the contact area of the bump is approximately 0.4 mm² and that of the wall is approximately 4.0 mm²" (col. 10, lines 3-7, e.g.); it does not disclose the length, width, height and distance apart of each of the bumps nor the diameter of the sound pillar structure as claimed in claims 3-8, 10, 21-22 and 25-30, 32, 43-44 and 48-53, 55, 66-67. However, one of ordinary skill in the art would have been led to the recited dimensions through routine experimentation to achieve desired device dimensions and associated device properties and desired device density on the finished wafer. Applicant has not disclosed that the dimensions are for a particular unobvious purpose, produce an unexpected result, or are otherwise critical, and it appears prima facie that the process would possess utility using another dimension. Indeed, it has been held that mere dimensional limitations are prima facie obvious absent a disclosure that the limitations are for a particular unobvious purpose, produce an unexpected result, or are otherwise critical. See, for example, *In re Rose*, 220 F.2d 459, 105 USPQ 237 (CCPA 1955); *In re Rinehart*, 531 F.2d 1048, 189 USPQ 143 (CCPA 1976); *Gardner v. TEC Systems, Inc.*, 725 F.2d 1338, 220 USPQ 777 (Fed. Cir. 1984), cert. denied, 469 U.S. 830, 225 USPQ 232

Art Unit: 2823

(1984); In re Dailey, 357 F.2d 669, 149 USPQ 47 (CCPA 1966). See also MPEP 2144.04(IV)(B).

Re claims 16, 38 and 61, the Kondoh et al. reference discloses (col. 14, line 52) “barrier layer 53 made of nickel, copper, or palladium”. The Lee et al. reference discloses a lower lead free portion 54 of a solder bump made of copper coated with nickel 56 and covered with solder 58 (fig. 8). It would have been obvious to one of ordinary skill in the art at the time of the invention to provide the lower lead-free portion of copper coated with nickel of Lee et al. because the structure and method of Lee et al. would provide the structure and method of Kondoh with “high-pillar solder bump that sustains a high stand-off of the complete solder bump while maintaining high bump reliability and minimizing damage caused by mismatching or thermal stress factors between the interfacing surface” (Lee et al.’s col. 2, lines 19-23).

Re claims 20, 42 and 65, the Kondoh et al. reference discloses the solder layer being comprised of 60 % tin and 40 % lead (col. 14, lines 28-29), “combination of the first supporting layer and second supporting layer is not restricted to the above combination” (col. 15, lines 1-6). Choice of the solder layer being consisting of about 63 % tin and 37 % lead or 100 % tin would have been a matter of routine optimization because the ratio of material in a layer are known to affect device properties and would depend on the desired device density on the finished wafer and the desired device characteristics. One of ordinary skill in the art would have been led to the recited ratio through routine experimentation to achieve desired deposition and reaction rates.

Re claims 23, 45 and 68, the Kondoh et al. reference discloses “when the semiconductor device is a high frequency element, using the electrode 7 as a ground line provides a shielding effect” or “since the active area is isolated from the outside world by the chip itself, circuit board, and wall member, especially when the semiconductor device is a high-frequency element, the electrical shielding effect can be expected”, col. 9, lines 27-29 and lines 50-53. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use the shield of Kondoh et al. in Surface Acoustic Wave device and in MEM device because the shield would proved the Surface Acoustic Wave device or MEM device with proper shielding effect as taught by Kondoh et al.

Response to Arguments

5. Applicant's arguments with respect to all claims have been considered but are moot in view of the new ground(s) of rejection.

6. Note: In response to applicant's argument on the materials of elements 3 and 4, applicant is directed to Kondoh et al.'s col. 10, lines 55-65, col. 12, lines 4-22 and col. 14 for Kondoh et al.'s explanation of “reflow” condition of formed materials wherein the claimed structure is held in between the two reflows.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thanh V. Pham whose telephone number is 571-272-1866. The examiner can normally be reached on M-T (6:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Smith can be reached on 571-272-1907. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2823

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Wf

06/05/2007

Matthew Smith

MATTHEW SMITH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800